Mica Dielectric Fixed Capacitor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5910-00-176-7322

## **Body Style:**

W/o mtg facilities terminal (s) on one surface

## **Reliability Indicator:**

Not established

# **Terminal Length:**

1.000 inches

## **Body Length:**

0.400 inches

### **Body Width:**

0.360 inches

### **Body Height:**

0.090 inches

### Center To Center Distance Between Terminals Parallel To Length:

0.225 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

## Insulation Resistance At Maximum Operating Temp:

10000.0 megohms

## **Capacitance Value Per Section:**

27.000 picofarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

500.0 dc single section

## Tempurature Coefficient Of Capacitance Range Per Section In Ppm Per Deg Celsius:

+0.0 to 70.0 single section

## **Tolerance Range Per Section:**

-5.00 to 5.00 percent single section

### **Case Material:**

Plastic

## Insulation Resistance At Reference Temp:

100000.0 megohms

## **Terminal Type And Quantity:**

2 uninsulated wire lead

### Shelf Life:

N/a

### Unit Of Measure:

--

### **Demilitarization:**

No

## Fiig:

A010b0