Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-187-1541

### **Body Style:**

W/o mtg facilities, axial terminals

## **Reliability Indicator:**

Not established

# **Terminal Length:**

1.500 inches

#### **Body Diameter:**

0.187 inches

#### **Body Length:**

0.594 inches

### Schematic Diagram Designator:

### No common or grounded electrode (s)

### Insulation Resistance At Maximum Operating Temp:

15000.0 megohms

#### **Capacitance Value Per Section:**

1500.000 picofarads single section

### **Nonderated Operating Temp:**

Between -55.0 degrees celsius and 85.0 degrees celsius

### Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

500.0 single section

### Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

## Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-0.0/+500.0 single section

#### **Tolerance Range Per Section:**

-150.00 to 150.00 picofarads single section

#### **Case Material:**

Plastic

#### Insulation Resistance At Reference Temp:

100000.0 megohm-microfarads

#### **Dissipation Factor At Reference Tempurature In Percent:**

1.0000

# **Quality Factor At Reference Temp:**

100.0000

# **Terminal Surface Treatment:**

Solder

## **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

#### Unit Of Measure:

---

Plastic Dielectric Fixed Capacitor - Page 2 of 2

AeroBase Group

Demilitarization:

No

Fiig:

A010b0