Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-189-1761

### **Body Style:**

W/o mtg facilities, axial terminals

### **Reliability Indicator:**

Not established

## Terminal Length:

2.500 inches

### **Body Diameter:**

0.812 inches

#### **Body Length:**

2.250 inches

### Schematic Diagram Designator:

Electrod (s) grounded to case, w/gnd terminal

### Anode Type:

Etched foil

### Impedance At Minimum Operating Tempurature In Ohms:

3.0

# **Electrical Polarization:**

Polarized

### Capacitance Value Per Section:

2500.000 microfarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

# Dc Leakage At Maximum Operating Temp:

3.0 milliamperes

### Nonderated Continuous Voltage Rating And Type Per Section:

10.0 dc single section

### **Tolerance Range Per Section:**

-10.00/+75.00 percent single section

### Case Material:

Metal

### **Capacitive Electrode Material:**

Aluminum

### Dc Leakage At Reference Temp:

0.500 microamperes

### **Terminal Surface Treatment:**

Solder

### **Case Insulation Material:**

Plastic

# Terminal Type And Quantity:

2 uninsulated wire lead

### Shelf Life:

N/a

Electrolytic Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0