

View Online at https://aerobasegroup.com/nsn/5910-00-191-9926

## Body Style:

W/o mtg facilities, radial terminals

### **Reliability Indicator:**

Not established

## **Terminal Length:**

1.250 inches

### Body Diameter:

0.382 inches

#### Body Length:

1.850 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

### Insulation Resistance At Maximum Operating Temp:

1000.0 megohms

### Capacitance Value Per Section:

270.000 picofarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

30.0 single section

### Nonderated Continuous Voltage Rating And Type Per Section:

500.0 dc single section

### Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-30.0/+30.0 single section

### **Tolerance Range Per Section:**

-2.00/+2.00 percent single section

### Case Material:

Metal

### Insulation Resistance At Reference Temp:

50000.0 megohms

### Test Data Document:

81349-milc20/14 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

### Demilitarization:

No

Fiig:

A010b0