Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-196-0121

# **Body Style:**

W/o mtg facilities, terminal (s) on one surface

# **Reliability Indicator:**

Not established

# **Body Length:**

3.750 inches

#### **Body Width:**

1.250 inches

### **Body Height:**

3.312 inches

### Center To Center Distance Between Terminals Parallel To Length:

2.000 inches

**Terminal Height From Body:** 

0.750 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### **Features Provided:**

Hermetically sealed case

### Insulation Resistance At Maximum Operating Temp:

100.0 megohm-microfarads

# Capacitance Value Per Section:

6.000 microfarads single section

### Nonderated Operating Temp:

Between -40.0 degrees celsius and 65.0 degrees celsius

### Nonderated Continuous Voltage Rating And Type Per Section:

440.0 ac-rms single section

### **Tolerance Range Per Section:**

-6.00/+6.00 percent single section

### **Case Material:**

Metal

### Insulation Resistance At Reference Temp:

10000.0 megohm-microfarads

### Power Factor At Reference Tempurature In Percent:

0.9000

#### **Dielectric Material:**

Plastic

### **Terminal Type And Quantity:**

2 threaded stud

Shelf Life:

N/a

#### Unit Of Measure:

---



Demilitarization:

No

Fiig:

A010b0