NSN 5910-00-197-6705

Mica Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-197-6705 **Thread Class:** 2a **Body Style:** Compression **Terminal Length:** Between 0.250 inches and 0.281 inches **Bushing Length:** 0.469 inches **Body Length:** 0.938 inches **Body Width:** 0.875 inches **Body Height:** 0.750 inches **Terminal Width:** Between 0.188 inches and 0.218 inches **Mounting Facility Screw Thread Series Designator:** Uns **Inclosure Type:** Encased **Bushing Shape:** Round **Mounting Facility Type And Quantity:** 1 threaded bushing Thready Qty Per Inch (tpi): 40 **Nonderated Operating Temp:** Between -35.0 degrees celsius and 85.0 degrees celsius **Thread Size:** 0.216 inches Capacitance Range In Picofarads: +1400.0/+3055.0 single section **Nonderated Voltage Rating And Type:** 250.0 dc continuous single section Capacitance Change In Percent At Operating Tempurature From 25 Deg Celsius: -2.50/+2.50 single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Terminal Type And Quantity:** 2 tab, solder lug Shelf Life:

N/a

NSN 5910-00-197-6705

Mica Dielectric Variable Capacitor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A096a0