Paper Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-198-4879

#### **Body Style:**

W/o mtg facilities, terminal (s) on one surface

#### Reliability Indicator:

Not established

## Body Length:

1.812 inches

#### Body Width:

1.062 inches

#### **Body Height:**

3.250 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Features Provided:

Hermetically sealed case

## Insulation Resistance At Maximum Operating Temp:

20.0 megohm-microfarads

#### Capacitance Value Per Section:

2.000 microfarads single section

#### Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

600.0 dc single section

## **Tolerance Range Per Section:**

-10.00 to 10.00 percent single section

#### Case Material:

Metal

## Insulation Resistance At Reference Temp:

2000.0 megohm-microfarads

## Dissipation Factor At Reference Tempurature In Percent:

1.0000

## **Terminal Surface Treatment:**

Solder

## Test Data Document:

81349-mil-c-25 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

## Unit Of Measure:

---

Demilitarization:

No

# NSN 5910-00-198-4879

Paper Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

