NSN 5910-00-199-3830

W/mtg tabs/flanges terminal (s) on one surface

Body Style:

Paper Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-199-3830

Reliability Indicator:
Not established
Mounting Slot Width:
0.156 inches
Body Length:
1.312 inches
Body Width:
0.766 inches
Body Height:
1.375 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.938 inches
Schematic Diagram Designator:
Electrod (s) grounded to case
Mounting Facility Type And Quantity:
2 mounting slots
Section Quantity:
2
Features Provided:
Hermetically sealed case
Insulation Resistance At Maximum Operating Temp:
15.0 megohm-microfarads
Capacitance Value Per Section:
0.100 microfarads 2nd section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 85.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
600.0 dc all sections
Tolerance Range Per Section:
-10.00 to 20.00 percent 2nd section
Case Material:
Metal
Insulation Resistance At Reference Temp:
4500.0 megohms
Dissipation Factor At Reference Tempurature In Percent:
1.5000
Terminal Surface Treatment:
Solder
Terminal Type And Quantity:
2 tab, solder lug

NSN 5910-00-199-3830

Paper Dielectric Fixed Capacitor - Page 2 of 2



_				
c	hο	JIF.		ife:
J	116		_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0