NSN 5910-00-199-5902

Glass Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-199-5902 **Thread Class:** 2a **Body Style:** Piston **Bushing Diameter:** 0.195 inches **Bushing Length:** 0.250 inches **Body Length:** 0.609 inches **Overall Diameter:** 0.312 inches Tempurature Coefficient Of Capacitance Range In Ppm Per Deg Celsius: -100.0/+100.0 single section **Quality Factor At 25 Deg Celsius:** 500.0 **Mounting Facility Screw Thread Series Designator:** Unf **Inclosure Type:** Encased **Adjustment Device Torque:** Between 1.000 inch-ounces and 10.000 inch-ounces **Bushing Shape:** Round w/flat Insulation Dc Resistance At 25 Deg Celsius: 100.0 gigohms **Bushing Width:** 0.175 inches **Mounting Facility Type And Quantity:** 1 threaded bushing **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius **Thread Size:** 0.190 inches Capacitance Range In Picofarads: +0.8/+4.2 single section **Nonderated Voltage Rating And Type:** 750.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 hex socket

2 tab, solder lug

Terminal Type And Quantity:

NSN 5910-00-199-5902

Glass Dielectric Variable Capacitor - Page 2 of 2



Shelf Li	fe:
----------	-----

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0