NSN 5910-00-221-2016

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-221-2016 **Body Style:** W/o mtg facilities, terminals on opposite surfaces **Reliability Indicator:** Not established **Body Length:** 0.510 inches **Body Width:** 0.150 inches **Body Height:** 0.355 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Capacitance Value Per Section:** 0.470 microfarads single section **Voltage Tempurature Limits Per Section In Percent Capacitance Change:** -15.0/+15.0 without voltage applied single section **Nonderated Operating Temp:** Between -65.0 degrees celsius and 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 50.0 dc single section **Tolerance Range Per Section:** -10.00/+10.00 percent single section Case Material: Plastic **Insulation Resistance At Reference Temp:** 1000.0 megohm-microfarads **Dissipation Factor At Reference Tempurature In Percent:** 2.500 **Terminal Surface Treatment:** Solder **Special Test Features:** Burn-in **Test Data Document:** 22915-st1c001 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 2 uninsulated wire lead Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5910-00-221-2016

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Fiig:

A010b0