

View Online at <https://aerobasegroup.com/nsn/5910-00-223-2777>

Body Style:

W/mtg stu (s), terminal(s) on one endw/mtg stud(s), terminal(s) on one end

Reliability Indicator:

Not establishednot established

Terminal Length:

0.500 inches 0.500 inches

Body Diameter:

1.375 inches

Body Length:

4.000 inches

Center To Center Distance Between Terminals Parallel To Diameter:

0.688 inches

Center To Center Distance Between Mounting Facilities Parallel To Diameter:

0.656 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Anode Type:

Plain foil

Electrical Polarization:

Polarized

Mounting Facility Screw Thread Series Designator:

Unc

Mounting Facility Type And Quantity:

2 threaded mounting holes

Capacitance Value Per Section:

450.000 microfarads single section

Nonderated Operating Temp:

Between -20.0 degrees celsius and 65.0 degrees celsius

Thread Size:

0.138 inches

Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

Tolerance Range Per Section:

-10.00/+100.00 percent single section

Case Material:

Metal

Capacitive Electrode Material:

Aluminum

Equivalent Series Resistance At Reference Temperature In Ohms:

44.40

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

2 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0