

View Online at <https://aerobasegroup.com/nsn/5910-00-223-2777>

**Body Style:**

W/mtg stu (s), terminal(s) on one endw/mtg stud(s), terminal(s) on one end

**Reliability Indicator:**

Not establishednot established

**Terminal Length:**

0.500 inches 0.500 inches

**Body Diameter:**

1.375 inches

**Body Length:**

4.000 inches

**Center To Center Distance Between Terminals Parallel To Diameter:**

0.688 inches

**Center To Center Distance Between Mounting Facilities Parallel To Diameter:**

0.656 inches

**Schematic Diagram Designator:**

No common or grounded electrode (s)

**Anode Type:**

Plain foil

**Electrical Polarization:**

Polarized

**Mounting Facility Screw Thread Series Designator:**

Unc

**Mounting Facility Type And Quantity:**

2 threaded mounting holes

**Capacitance Value Per Section:**

450.000 microfarads single section

**Nonderated Operating Temp:**

Between -20.0 degrees celsius and 65.0 degrees celsius

**Thread Size:**

0.138 inches

**Nonderated Continuous Voltage Rating And Type Per Section:**

200.0 dc single section

**Tolerance Range Per Section:**

-10.00/+100.00 percent single section

**Case Material:**

Metal

**Capacitive Electrode Material:**

Aluminum

**Equivalent Series Resistance At Reference Temperature In Ohms:**

44.40

**Terminal Surface Treatment:**

Solder

**Terminal Type And Quantity:**

2 solder stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A010b0