

View Online at <https://aerobasegroup.com/nsn/5910-00-230-7858>

**Body Style:**

Piston

**Overall Length:**

0.859 inches

**Shaft Length:**

0.125 inches single shaft

**Body Length:**

0.734 inches

**Overall Diameter:**

0.312 inches

**Temperature Coefficient Of Capacitance Range In Ppm Per Deg Celsius:**

-150.0/+150.0 single section

**Center To Center Distance Between Terminals Parallel To Length:**

0.688 inches

**Center To Center Distance Between Terminals Parallel To Diameter:**

0.234 inches

**Quality Factor At 25 Deg Celsius:**

750.0

**Inclosure Type:**

Encased

**Adjustment Device Torque:**

Between 1.000 inch-ounces and 10.000 inch-ounces

**Insulation Dc Resistance At 25 Deg Celsius:**

1000.0 gigohms

**Insulation Dc Resistance At Max Operating Temp:**

100.0 gigohms

**Mounting Facility Type And Quantity:**

4 terminal

**Nonderated Operating Temp:**

Between -55.0 degrees celsius and 125.0 degrees celsius

**Shaft Type:**

Round, slotted single shaft

**Capacitance Range In Picofarads:**

+1.0/+16.0 single section

**Nonderated Voltage Rating And Type:**

1000.0 dc continuous single section

**Adjustment Device Drive Type And Quantity:**

1 shaft

**Capacitance Drift In Picofarads:**

0.50 single section

**Test Data Document:**

81349-mil-c-14409 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Terminal Type And Quantity:**

4 wire lead

**Specification Data:**

81349-mil-c-14409/9 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A096a0