

View Online at https://aerobasegroup.com/nsn/5910-00-233-3017

Plastic Dielectric Fixed Capacitor - Page 1 of 2

### **Body Style:**

W/o mtg facilities terminal (s) on one surface

### **Reliability Indicator:**

Not established

## **Terminal Length:**

1.000 inches

### **Body Length:**

1.750 inches

#### **Body Width:**

0.906 inches

#### **Body Height:**

0.515 inches

#### Center To Center Distance Between Terminals Parallel To Length:

1.844 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

## Insulation Resistance At Maximum Operating Temp:

50.0 megohms

### **Capacitance Value Per Section:**

5.000 microfarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 100.0 degrees celsius

# Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

#### **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

#### **Case Material:**

Plastic

#### Insulation Resistance At Reference Temp:

30000.0 megohms

## **Dissipation Factor At Reference Tempurature In Percent:**

1.5000

# **Terminal Surface Treatment:**

Solder

# **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

## Demilitarization:

No

# NSN 5910-00-233-3017

Plastic Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

