

View Online at <https://aerobasegroup.com/nsn/5910-00-233-4323>

**Body Style:**

W/mtg tabs/flanges, terminal (s) on one surface

**Reliability Indicator:**

Not established

**Body Length:**

Between 1.859 inches and 1.891 inches

**Body Width:**

Between 1.328 inches and 1.360 inches

**Body Height:**

Between 0.703 inches and 0.735 inches

**Center To Center Distance Between Terminals Parallel To Width:**

Between 0.609 inches and 0.641 inches

**Unthreaded Mounting Hole Diameter:**

Between 0.149 inches and 0.159 inches

**Schematic Diagram Designator:**

Electrod (s) grounded to case

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 1.828 inches and 1.860 inches

**Internal Electrical Connection Type:**

Extended foil

**Mounting Facility Type And Quantity:**

2 unthreaded mounting holes

**Section Quantity:**

3

**Features Provided:**

Hermetically sealed case

**Insulation Resistance At Maximum Operating Temp:**

20.0 megohm-microfarads

**Capacitance Value Per Section:**

0.500 microfarads all sections

**Nonderated Operating Temp:**

Between -55.0 degrees celsius and 85.0 degrees celsius

**Nonderated Continuous Voltage Rating And Type Per Section:**

100.0 ac-rms all sections and 250.0 dc all sections

**Tolerance Range Per Section:**

-3.00 to 10.00 percent single section

**Case Material:**

Metal

**Insulation Resistance At Reference Temp:**

2000.0 megohm-microfarads

**Dissipation Factor At Reference Temperature In Percent:**

1.000

**Terminal Surface Treatment:**

Solder

**Terminal Type And Quantity:**

2 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A010b0