

View Online at <https://aerobasegroup.com/nsn/5910-00-233-4342>

Body Style:

W/mtg tabs/flanges, terminal (s) on one surfacew/mtg tabs/flanges, terminal(s) on one surfacew/mtg tabs/flanges, terminal(s) on one surface

Reliability Indicator:

Not establishednot establishednot established

Terminal Length:

0.330 inches 0.330 inches 0.330 inches

Body Length:

3.875 inches

Body Width:

2.062 inches

Body Height:

1.562 inches

Terminal Diameter:

0.125 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Anode Type:

Plain foil

Electrical Polarization:

Nonpolarized

Capacitance Value Per Section:

1200.000 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Dc Leakage At Maximum Operating Temp:

570.0 milliamperes

Nonderated Continuous Voltage Rating And Type Per Section:

75.0 dc single section

Tolerance Range Per Section:

-20.00/+20.00 percent single section

Case Material:

Metal

Capacitive Electrode Material:

Tantalum

Power Factor At Reference Temperature In Percent:

20.0000

Dc Leakage At Reference Temp:

95.000 microamperes

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

2 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0