NSN 5910-00-241-2651

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-241-2651

view Offiline at https://aerobasegroup.com/hsi//0910-00-241-2	-001
Body Style:	
W/o mtg facilities, terminal (s) on one end	
Reliability Indicator:	
Not established	
Terminal Length:	
0.312 inches	
Body Diameter:	
0.875 inches	
Body Length:	
0.688 inches	
Schematic Diagram Designator:	
Electrod (s) grounded to case, w/gnd terminal	
Anode Type:	
Solid	
Impedance At Minimum Operating Tempurature In Ohms:	:
48.0	
Electrical Polarization:	
Polarized	
Features Provided:	
Hermetically sealed case	
Capacitance Value Per Section:	
120.000 microfarads single section	
Nonderated Operating Temp:	
Between -55.0 degrees celsius and 85.0 degrees celsius	
Dc Leakage At Maximum Operating Temp:	
612.0 milliamperes	
Nonderated Continuous Voltage Rating And Type Per Sec	ction:
35.0 dc single section	
Tolerance Range Per Section:	
-15.00/+75.00 percent single section	
Case Material:	
Metal	
Capacitive Electrode Material:	
Tantalum	
Equivalent Series Resistance At Reference Tempurature	In Ohms:
2.70	
Dc Leakage At Reference Temp:	
87.500 microamperes	
Case Insulation Material:	
Plastic	

laotio

Terminal Type And Quantity:

1 solder stud and 1 tab, solder lug

NSN 5910-00-241-2651

Electrolytic Fixed Capacitor - Page 2 of 2



_				
c	hο	JIF.		ife:
J			_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0