NSN 5910-00-243-6313

Air Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-243-6313 **Thread Class:** 2a **Body Style:** Piston **Overall Length:** 0.609 inches **Terminal Length:** 0.110 inches **Bushing Diameter:** 0.234 inches **Bushing Length:** 0.218 inches **Body Length:** 0.280 inches **Overall Diameter:** 0.280 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 0.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -50.0/+50.0 single section **Quality Factor At 25 Deg Celsius:** 5000.0 **Mounting Facility Screw Thread Series Designator:** Uns **Inclosure Type:** Encased **Tuning Characteristic:** Straight line capacity single section **Adjustment Device Torque:** Between 1.000 inch-ounces and 5.000 inch-ounces **Bushing Shape: Mounting Facility Type And Quantity:** 1 threaded bushing Thready Qty Per Inch (tpi): **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius **Thread Size:**

0.234 inches

Capacitance Range In Picofarads:

+1.0/+3.5 single section

NSN 5910-00-243-6313

Air Dielectric Variable Capacitor - Page 2 of 2



Nonderated Voltage Rating And Type:
600.0 dc continuous single section
Adjustment Device Drive Type And Quantity:
1 slotted screw
Terminal Type And Quantity:
1 solder stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A096a0