

View Online at <https://aerobasegroup.com/nsn/5910-00-243-8102>

Body Style:

Piston

Overall Length:

Between 1.061 inches and 1.125 inches

Terminal Length:

0.703 inches

Body Length:

Between 0.936 inches and 1.000 inches

Overall Diameter:

0.313 inches

Temperature Coefficient Of Capacitance In Ppm Per Deg Celsius:

0.0 single section

Tolerance Of Temperature Coefficient In Ppm Per Deg Celsius:

-50.0/+50.0 single section

Center To Center Distance Between Terminals Parallel To Length:

Between 1.707 inches and 1.969 inches

Center To Center Distance Between Terminals Parallel To Diameter:

0.234 inches

Terminal Diameter:

0.032 inches

Quality Factor At 25 Deg Celsius:

500.0

Fragility Factor:

Moderately rugged

Inclosure Type:

Encased

Adjustment Device Torque:

Between 1.000 inch-ounces and 8.000 inch-ounces

Insulation Dc Resistance At 25 Deg Celsius:

1000000.0 megohms

Mounting Facility Type And Quantity:

4 terminal

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Capacitance Range In Picofarads:

+1.0/+90.0 single section

Nonderated Voltage Rating And Type:

1000.0 dc continuous single section

Adjustment Device Drive Type And Quantity:

1 slotted screw

Capacitance Drift In Picofarads:

0.04 single section

Material:

Glass capacitive electrode

Terminal Type And Quantity:

4 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0