## NSN 5910-00-244-4209

Air Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-244-4209 **Thread Class:** 2a **Body Style:** Piston **Overall Length:** Between 0.480 inches and 0.510 inches **Bushing Diameter:** 0.234 inches **Bushing Length:** 0.180 inches **Body Length:** 0.280 inches **Overall Diameter:** 0.260 inches **Quality Factor At 25 Deg Celsius:** 2000.0 **Mounting Facility Screw Thread Series Designator:** Uns **Inclosure Type:** Encased **Tuning Characteristic:** Straight line capacity single section **Adjustment Device Torque:** Between 0.500 inch-ounces and 5.000 inch-ounces **Bushing Shape:** Round Insulation Dc Resistance At 25 Deg Celsius: 250.0 gigohms **Mounting Facility Type And Quantity:** 1 threaded bushing Thready Qty Per Inch (tpi): **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius **Thread Size:** 0.234 inches **Capacitance Range In Picofarads:** +0.8/+10.0 single section **Nonderated Voltage Rating And Type:** 

Adjustment Device Drive Type And Quantity:
1 slotted screw

250.0 dc continuous single section

## NSN 5910-00-244-4209

Air Dielectric Variable Capacitor - Page 2 of 2



<b>Terminal</b>	Type	And	Quantity:
-----------------	------	-----	-----------

1 tab, solder lug

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A096a0