

View Online at <https://aerobasegroup.com/nsn/5910-00-248-8987>

**Body Style:**

Rotary

**Body Length:**

1.312 inches

**Body Width:**

0.875 inches

**Body Height:**

0.433 inches

**Temperature Coefficient Of Capacitance In Ppm Per Deg Celsius:**

650.0 all sections

**Unthreaded Mounting Hole Diameter:**

0.112 inches and 0.112 inches

**Dissipation Factor At 25 Deg Celsius In Percent:**

0.2

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.625 inches

**Individual Section Quantity:**

2

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encapsulated

**Adjustment Device Rotation:**

360.0 degrees clockwise

**Adjustment Device Torque:**

Between 4.000 inch-ounces and 24.000 inch-ounces

**Insulation Dc Resistance At 25 Deg Celsius:**

10000.0 megohms

**Mounting Facility Type And Quantity:**

2 threaded hole

**Nonderated Operating Temp:**

-55.0 degrees celsius and 85.0 degrees celsius

**Thread Size:**

0.112 inches

**Capacitance Range In Picofarads:**

+7.0 to 45.0 all sections

**Nonderated Voltage Rating And Type:**

500.0 dc continuous single section

**Adjustment Device Drive Type And Quantity:**

2 slotted screw

**Capacitance Drift In Picofarads:**

0.50 all sections

**Special Features:**

Mtg holes offset 0.156 in.C to c along lg

**Material:**

Ceramic base

**Terminal Type And Quantity:**

4 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A096a0