NSN 5910-00-265-5797

Electrolytic Fixed Capacitor - Page 1 of 2



, ,
View Online at https://aerobasegroup.com/nsn/5910-00-265-5797
Body Style:
W/mtg tabs/flanges, terminal (s) on one surface
Reliability Indicator:
Not established
Body Length:
1.812 inches
Body Width:
1.000 inches
Body Height:
0.938 inches
Unthreaded Mounting Hole Diameter:
0.188 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.125 inches
Schematic Diagram Designator:
Electrod (s) grounded to case
Anode Type:
Plain foil
Impedance At Minimum Operating Tempurature In Ohms:
5000.0
Electrical Polarization:
Polarized
Mounting Facility Type And Quantity:
2 unthreaded mounting holes
Features Provided:
Hermetically sealed case
Capacitance Value Per Section:
4.000 microfarads single section
Nonderated Operating Temp:
Between 40.0 degrees celsius and 65.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
450.0 dc single section
Tolerance Range Per Section:
-10.00/+50.00 percent single section

Case Material:

Metal

Capacitive Electrode Material:

Aluminum

Dissipation Factor At Reference Tempurature In Percent:

12 0000

Dc Leakage At Reference Temp:

64.000 microamperes

NSN 5910-00-265-5797

Electrolytic Fixed Capacitor - Page 2 of 2



Terminal Surface Treatment:	
Solder	
Terminal Type And Quantity:	
1 tab, solder lug	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	

Fiig: A010b0