

View Online at https://aerobasegroup.com/nsn/5910-00-279-5960

## **Body Style:**

W/o mtg facilities, radial terminals

**Reliability Indicator:** 

Not established

**Terminal Length:** 

1.250 inches

## **Body Diameter:**

0.395 inches

**Body Length:** 

0.218 inches

## Center To Center Distance Between Terminals Parallel To Diameter:

Between 0.230 inches and 0.270 inches

## Schematic Diagram Designator:

No common or grounded electrode (s)

## **Capacitance Value Per Section:**

10000.000 picofarads single section

## Voltage Tempurature Limits Per Section In Percent Capacitance Change:

-56.0/+22.0 without voltage applied single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

500.0 dc single section

## **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

#### **Case Material:**

Plastic

## Insulation Resistance At Reference Temp:

10000.0 megohms

## **Dissipation Factor At Reference Tempurature In Percent:**

2.5000

## **Terminal Surface Treatment:**

Solder

# Test Data Document:

94580-966531 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

# NSN 5910-00-279-5960 Ceramic Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

