NICH 5040 00 204 5272



Paper Dielectric Fixed Capacitor - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5910-00-284-5373
Body Style:
W/thd mtg studs, axial terminals
Reliability Indicator:
Not established
Terminal Length:
1.625 inches
Body Diameter:
0.750 inches
Body Length:
2.374 inches
Body Width:
1.146 inches
Body Height:
0.750 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.375 inches
Schamatic Diagram Designator

Schematic Diagram Designator:

No common or grounded electrode (s)

Internal Electrical Connection Type:

Extended foil

Unc

Mounting Facility Screw Thread Series Designator:

Mounting Facility Type And Quantity:

2 threaded mounting studs

Features Provided:

Hermetically sealed case

Insulation Resistance At Maximum Operating Temp:

10.0 megohm-microfarads

Capacitance Value Per Section:

0.470 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Thread Size:

0.138 inches

Nonderated Continuous Voltage Rating And Type Per Section:

600.0 dc single section

Tolerance Range Per Section:

-20.00 to 20.00 percent single section

Case Material:

Metal

Insulation Resistance At Reference Temp:

20000.0 megohm-microfarads

NSN 5910-00-284-5373

Paper Dielectric Fixed Capacitor - Page 2 of 2



Dissipation Factor At Reference Tempurature In Percent:
1.0000
Ferminal Surface Treatment:
Solder
Case Insulation Material:
Plastic
Ferminal Type And Quantity:
2 uninsulated wire lead
Shelf Life:
N/a
Jnit Of Measure:
-
Demilitarization:
No

Fiig: A010b0