## NSN 5910-00-321-8296

Mica Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-321-8296 **Thread Class:** 2a **Bushing Diameter:** 0.469 inches **Bushing Length:** 0.438 inches **Dissipation Factor At 25 Deg Celsius In Percent:** 0.001 **Mounting Facility Screw Thread Series Designator:** Un **Inclosure Type:** Hermetically sealed **Adjustment Device Rotation:** 3.0 turns counterclockwise **Bushing Shape:** Round Insulation Dc Resistance At 25 Deg Celsius: 100.0 gigohms **Mounting Facility Type And Quantity:** 1 threaded bushing Thready Qty Per Inch (tpi): 32 **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius **Thread Size:** 0.469 inches **Capacitance Range In Picofarads:** +1150.0/+2605.0 single section **Nonderated Voltage Rating And Type:** 250.0 dc continuous single section Capacitance Change In Percent At Operating Tempurature From 25 Deg Celsius: -3.00/+3.00 single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Terminal Type And Quantity:** 2 tab, solder lug Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No

## NSN 5910-00-321-8296

Mica Dielectric Variable Capacitor - Page 2 of 2



Fiig:

A096a0