NSN 5910-00-340-1636

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-340-1636 **Body Style:** W/o mtg facilities terminal (s) on one surface Mil-std-1276 Wire Lead Type Designator: С **Reliability Indicator:** Not established **Terminal Length:** 20.000 millimeters **Body Length:** 5.000 millimeters **Body Width:** 12.000 millimeters **Body Height:** 2.500 millimeters **Center To Center Distance Between Terminals Parallel To Length:** 2.600 millimeters **Terminal Diameter:** 0.025 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Insulation Resistance At Maximum Operating Temp:** 5000.0 megohm-microfarads **Capacitance Value Per Section:** 0.220 microfarads single section **Nonderated Operating Temp:** Between -30.0 degrees celsius and 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 50.0 dc single section **Tolerance Range Per Section:** -20.00/+20.00 percent single section Case Material: **Plastic Insulation Resistance At Reference Temp:** 40000.0 megohm-microfarads **Dissipation Factor At Reference Tempurature In Percent:** 1.0000 **Terminal Type And Quantity:** 2 uninsulated wire lead Shelf Life: N/a

Unit Of Measure:

NSN 5910-00-340-1636

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0