Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-349-6223

## **Body Style:**

W/o mtg facilities terminal (s) on one surface

#### **Reliability Indicator:**

Not established

# Terminal Length:

1.625 inches

## **Body Length:**

0.235 inches

#### **Body Width:**

0.190 inches

#### **Body Height:**

0.105 inches

### Center To Center Distance Between Terminals Parallel To Length:

Between 0.105 inches and 0.145 inches

#### **Terminal Diameter:**

0.025 inches

# Schematic Diagram Designator:

No common or grounded electrode (s)

#### Anode Type:

Solid

# **Electrical Polarization:**

Nonpolarized

#### Capacitance Value Per Section:

1.000 microfarads single section

#### Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

# Dc Leakage At Maximum Operating Temp:

15.0 microamperes

#### Nonderated Continuous Voltage Rating And Type Per Section:

20.0 dc single section

#### **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

#### Case Material:

Plastic

### **Capacitive Electrode Material:**

Tantalum

#### **Dissipation Factor At Reference Tempurature In Percent:**

6.0000

#### Dc Leakage At Reference Temp:

1.000 microamperes

# **Terminal Surface Treatment:**

Solder

Electrolytic Fixed Capacitor - Page 2 of 2



# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0