## NSN 5910-00-359-7581

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-359-7581

**Body Style:** W/o mtg facilities terminal (s) on one surface Reliability Indicator: Not established **Terminal Length:** 1.625 inches **Body Length:** 0.220 inches **Body Width:** 0.290 inches **Body Height:** 0.110 inches Center To Center Distance Between Terminals Parallel To Length: 0.180 inches **Terminal Diameter:** 0.016 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Anode Type:** Solid **Electrical Polarization:** Polarized **Capacitance Value Per Section:** 22.000 microfarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 10.0 dc single section **Tolerance Range Per Section:** -10.00/+10.00 percent single section Case Material: **Plastic Capacitive Electrode Material: Tantalum Dissipation Factor At Reference Tempurature In Percent:** 8.0000 Dc Leakage At Reference Temp: 9.000 microamperes **Terminal Surface Treatment:** Solder

**Terminal Type And Quantity:** 

2 uninsulated wire lead

## NSN 5910-00-359-7581

Electrolytic Fixed Capacitor - Page 2 of 2



_			-		
C	hο	14		.ife	
•			_	.II C	-

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0