NSN 5910-00-372-2306

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5910-00-372-2306

Body Style:
W/o mtg facilities, terminals on opposite surfaces
Reliability Indicator:
Not established
Terminal Length:
1.250 inches
Body Length:
0.771 inches
Body Width:
0.311 inches
Body Height:
0.421 inches
Terminal Diameter:
0.025 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Capacitance Value Per Section:
0.470 microfarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
Nonderated Continuous Voltage Rating And Type Per Section: 50.0 dc single section
50.0 dc single section
50.0 dc single section Tolerance Range Per Section:
50.0 dc single section Tolerance Range Per Section: -20.00/+20.00 percent single section
50.0 dc single section Tolerance Range Per Section: -20.00/+20.00 percent single section Case Material:
50.0 dc single section Tolerance Range Per Section: -20.00/+20.00 percent single section Case Material: Plastic
50.0 dc single section Tolerance Range Per Section: -20.00/+20.00 percent single section Case Material: Plastic Terminal Surface Treatment:
50.0 dc single section Tolerance Range Per Section: -20.00/+20.00 percent single section Case Material: Plastic Terminal Surface Treatment: Solder
50.0 dc single section Tolerance Range Per Section: -20.00/+20.00 percent single section Case Material: Plastic Terminal Surface Treatment: Solder Terminal Type And Quantity:
50.0 dc single section Tolerance Range Per Section: -20.00/+20.00 percent single section Case Material: Plastic Terminal Surface Treatment: Solder Terminal Type And Quantity: 2 uninsulated wire lead
50.0 dc single section Tolerance Range Per Section: -20.00/+20.00 percent single section Case Material: Plastic Terminal Surface Treatment: Solder Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life:
50.0 dc single section Tolerance Range Per Section: -20.00/+20.00 percent single section Case Material: Plastic Terminal Surface Treatment: Solder Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a
50.0 dc single section Tolerance Range Per Section: -20.00/+20.00 percent single section Case Material: Plastic Terminal Surface Treatment: Solder Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a
Tolerance Range Per Section: -20.00/+20.00 percent single section Case Material: Plastic Terminal Surface Treatment: Solder Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure:
Tolerance Range Per Section: -20.00/+20.00 percent single section Case Material: Plastic Terminal Surface Treatment: Solder Terminal Type And Quantity: 2 uninsulated wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: