

View Online at https://aerobasegroup.com/nsn/5910-00-401-5862

## **Body Style:**

W/o mtg facilities, axial terminals

# **Reliability Indicator:**

Not established

# **Terminal Length:**

1.250 inches

#### **Body Diameter:**

0.150 inches

#### **Body Length:**

0.400 inches

## Schematic Diagram Designator:

## No common or grounded electrode (s)

## Insulation Resistance At Maximum Operating Temp:

100.0 megohm-microfarads

#### **Capacitance Value Per Section:**

68000.000 picofarads single section

# Voltage Tempurature Limits Per Section In Percent Capacitance Change:

-0.3/+0.3 with rated voltage applied single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

# Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

## **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

#### **Case Material:**

Plastic

#### Insulation Resistance At Reference Temp:

1000.0 megohm-microfarads

#### Power Factor At Reference Tempurature In Percent:

2.5000

#### **Terminal Surface Treatment:**

Solder

# Test Data Document:

94756-441-1069 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Terminal Type And Quantity:

2 uninsulated wire lead

# Shelf Life:

N/a

#### Unit Of Measure:

---

## Demilitarization:

No

# NSN 5910-00-401-5862 Ceramic Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

