Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-403-8427

## **Body Style:**

W/o mtg facilities, axial terminals

## **Reliability Indicator:**

Not established

## **Terminal Length:**

1.500 inches

#### **Body Diameter:**

0.260 inches

#### **Body Length:**

0.536 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Anode Type:

Plain foil

#### **Electrical Polarization:**

Polarized

## **Capacitance Value Per Section:**

1.000 microfarads single section

# Nonderated Operating Temp:

Between -20.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

150.0 dc single section

#### **Tolerance Range Per Section:**

-10.00/+50.00 percent single section

#### **Case Material:**

Metal

#### **Capacitive Electrode Material:**

Aluminum

#### Equivalent Series Resistance At Reference Tempurature In Ohms:

200.00

# Dc Leakage At Reference Temp:

15.000 microamperes

# **Terminal Surface Treatment:**

Solder

# Case Insulation Material:

Plastic

## **Test Data Document:**

19315-qb74374 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

## **Terminal Type And Quantity:**

2 uninsulated wire lead

## Shelf Life:

# NSN 5910-00-403-8427

Electrolytic Fixed Capacitor - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0