

View Online at https://aerobasegroup.com/nsn/5910-00-418-6439

### **Body Style:**

W/o mtg facilities, terminal (s) on one surface

**Reliability Indicator:** 

Established

## **Terminal Length:**

1.250 inches

**Body Length:** 

0.290 inches

#### **Body Width:**

0.290 inches

**Body Height:** 

0.090 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

### Insulation Resistance At Maximum Operating Temp:

5000.0 megohms

### **Capacitance Value Per Section:**

22.000 nanofarads single section

### Voltage Tempurature Limits Per Section In Percent Capacitance Change:

-25.0/+15.0 with rated voltage applied single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

### Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

#### **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

#### **Case Material:**

Plastic

Insulation Resistance At Reference Temp:

50000.0 megohms

## Dissipation Factor At Reference Tempurature In Percent:

2.5000

## **Terminal Surface Treatment:**

Solder

## Test Data Document:

00752-328720 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

## Terminal Type And Quantity:

2 uninsulated wire lead

# Shelf Life:

N/a

## Unit Of Measure:



Demilitarization:

No

Fiig:

A010b0