NSN 5910-00-419-3238



Electrolytic Fixed Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-00-419-3238 **Body Style:** W/o mtg facilities, terminal (s) on one surface Reliability Indicator: Not established **Body Length:** 1.312 inches **Body Width:** 0.750 inches **Body Height:** 2.500 inches **Schematic Diagram Designator:** Electrod (s) grounded to case, w/gnd terminal **Anode Type:** Etched foil **Impedance At Minimum Operating Tempurature In Ohms: Electrical Polarization:** Polarized **Features Provided:** Hermetically sealed case **Capacitance Value Per Section:** 660.000 microfarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Dc Leakage At Maximum Operating Temp: 1150.0 milliamperes Nonderated Continuous Voltage Rating And Type Per Section: 50.0 dc single section **Criticality Code Justification:** Zzzy **Tolerance Range Per Section:** -15.00/+75.00 percent single section **Case Material:** Metal

Capacitive Electrode Material:

Tantalum

Dc Leakage At Reference Temp:

115.000 microamperes

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

2 tab, solder lug

NSN 5910-00-419-3238

Electrolytic Fixed Capacitor - Page 2 of 2



Reference Number Differentiating Characteristic	ferentiating Characteristic	Differentiating	Number	Reference
---	-----------------------------	-----------------	--------	-----------

Material will be in accordance with ships parts control center	activity hx quality control	manufacturing and testing specifications
Shelf Life:		

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0