Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-421-0305

### **Body Style:**

W/o mtg facilities, axial terminals

# **Reliability Indicator:**

Not established

### **Terminal Length:**

2.250 inches

### **Body Diameter:**

0.391 inches

#### **Body Length:**

1.281 inches

### Schematic Diagram Designator:

Electrod (s) grounded to case, w/gnd terminal

### Anode Type:

Etched foil

### Impedance At Minimum Operating Tempurature In Ohms:

29.0

# **Electrical Polarization:**

Polarized

### **Features Provided:**

Hermetically sealed case

### Capacitance Value Per Section:

110.000 microfarads single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

### Dc Leakage At Maximum Operating Temp:

36.0 milliamperes

### Nonderated Continuous Voltage Rating And Type Per Section:

50.0 dc single section

### **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

#### Case Material:

Metal

# **Capacitive Electrode Material:**

Tantalum

# Equivalent Series Resistance At Reference Tempurature In Ohms:

2.60

# Dc Leakage At Reference Temp:

8.000 microamperes

# **Terminal Surface Treatment:**

Solder

### **Case Insulation Material:**

Plastic

Electrolytic Fixed Capacitor - Page 2 of 2



# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0