Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-422-5160

#### **Body Style:**

W/o mtg facilities, terminal (s) on one surface

### **Reliability Indicator:**

Not established

## **Body Length:**

13.500 inches

### Body Width:

4.125 inches

#### **Body Height:**

9.250 inches

#### Center To Center Distance Between Terminals Parallel To Length:

6.750 inches

**Terminal Height From Body:** 

3.875 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### **Features Provided:**

Mounting hardware and hermetically sealed case

#### Capacitance Value Per Section:

0.250 microfarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

### Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

500.0 single section

#### Nonderated Continuous Voltage Rating And Type Per Section:

40000.0 dc single section

#### **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

#### Case Material:

Metal

# Insulation Resistance At Reference Temp:

10000.0 megohm-microfarads

# Power Factor At Reference Tempurature In Percent:

0.2000

# Terminal Type And Quantity:

2 threaded stud

Shelf Life:

N/a

## Unit Of Measure:

--

### Demilitarization:

No

# NSN 5910-00-422-5160

Plastic Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

