NSN 5910-00-431-4942

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-431-4942

View Online at https://aerobasegroup.com/nsn/5910-00-431-4942
Body Style:
W/o mtg facilities, axial terminals
Mil-std-1276 Wire Lead Type Designator:
N-2
Reliability Indicator:
Not established
Terminal Length:
1.500 inches
Body Diameter:
0.213 inches
Body Length:
0.813 inches
Terminal Diameter:
0.025 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Features Provided:
Hermetically sealed case
Insulation Resistance At Maximum Operating Temp:
10000.0 megohms
Capacitance Value Per Section:
1000.000 picofarads single section
Nonderated Operating Temp:
Between -62.0 degrees celsius and 125.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
50.0 dc single section
Tolerance Range Per Section:
-1.00/+1.00 percent single section
Case Material:
Metal
Insulation Resistance At Reference Temp:
100000.0 megohms
Dissipation Factor At Reference Tempurature In Percent:
0.2000
Terminal Surface Treatment:
Gold
Case Insulation Material:
Plastic
Precious Material And Location:
Terminal surface gold

2 uninsulated wire lead

Terminal Type And Quantity:

NSN 5910-00-431-4942

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A010b0