NSN 5910-00-447-9269

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-447-9269

Body Style:					
W/o mtg facilities, axial terminals					
Reliability Indicator:					
Not established					
Terminal Length:					
1.625 inches					
Body Diameter:					
1.030 inches					
Body Length:					
1.914 inches					
Terminal Diameter:					
0.032 inches					
Schematic Diagram Designator:					
No common or grounded electrode (s)					
Features Provided:					
Hermetically sealed case					
Insulation Resistance At Maximum Operating Temp:					
40.0 megohm-microfarads					
Capacitance Value Per Section:					
1.000 microfarads single section					
Nonderated Operating Temp:					
Between -55.0 degrees celsius and 125.0 degrees celsius					
Nonderated Continuous Voltage Rating And Type Per Section:					
600.0 dc single section					
Tolerance Range Per Section:					
-10.00/+10.00 percent single section					
Case Material:					
Metal					
Insulation Resistance At Reference Temp:					
2000 0 magaha miarafarada					
2000.0 megohm-microfarads					
Power Factor At Reference Tempurature In Percent:					
·					
Power Factor At Reference Tempurature In Percent:					
Power Factor At Reference Tempurature In Percent: 1.0000					
Power Factor At Reference Tempurature In Percent: 1.0000 Terminal Surface Treatment:					
Power Factor At Reference Tempurature In Percent: 1.0000 Terminal Surface Treatment: Solder					
Power Factor At Reference Tempurature In Percent: 1.0000 Terminal Surface Treatment: Solder Case Insulation Material:					
Power Factor At Reference Tempurature In Percent: 1.0000 Terminal Surface Treatment: Solder Case Insulation Material: Plastic					
Power Factor At Reference Tempurature In Percent: 1.0000 Terminal Surface Treatment: Solder Case Insulation Material: Plastic Terminal Type And Quantity:					
Power Factor At Reference Tempurature In Percent: 1.0000 Terminal Surface Treatment: Solder Case Insulation Material: Plastic Terminal Type And Quantity: 2 uninsulated wire lead					
Power Factor At Reference Tempurature In Percent: 1.0000 Terminal Surface Treatment: Solder Case Insulation Material: Plastic Terminal Type And Quantity: 2 uninsulated wire lead Reference Number Differentiating Characteristics:					

NSN 5910-00-447-9269

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



	• -			
In	ıŧ	()t	Measure	•

--

Demilitarization:

No

Fiig:

A010b0