## NSN 5910-00-451-3189

Glass Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-451-3189 **Body Style:** Piston **Overall Length:** 0.457 inches **Terminal Length:** 1.000 inches **Body Length:** 0.312 inches **Overall Diameter:** 0.312 inches Tempurature Coefficient Of Capacitance Range In Ppm Per Deg Celsius: -50.0/+50.0 single section **Terminal Diameter:** 0.016 inches **Center To Center Distance Between Mounting Facilities Parallel To Diameter:** 0.275 inches **Quality Factor At 25 Deg Celsius:** 500.0 **Inclosure Type:** Encapsulated **Terminal Location:** Circumference 180 degrees apart on end opposite adjustment control perpendicular Insulation Dc Resistance At 25 Deg Celsius: 1000.0 gigohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Capacitance Range In Picofarads: +0.8/+4.5 single section **Nonderated Voltage Rating And Type:** 750.0 dc continuous single section or 1500.0 dc dielectric withstanding single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Terminal Type And Quantity:** 2 wire lead Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No

## NSN 5910-00-451-3189

Glass Dielectric Variable Capacitor - Page 2 of 2



Fiig:

A096a0