NSN 5910-00-455-3668

Mica Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-455-3668 **Body Style:** W/o mtg facilities terminal (s) on one surface **Reliability Indicator:** Not established **Terminal Length:** 1.250 inches **Body Length:** 0.448 inches **Body Width:** 0.353 inches **Body Height:** 0.166 inches **Center To Center Distance Between Terminals Parallel To Length:** Between 0.203 inches and 0.265 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Insulation Resistance At Maximum Operating Temp:** 15000.0 megohms **Capacitance Value Per Section:** 10.000 picofarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 300.0 dc single section Tempurature Coefficient Of Capacitance Range Per Section In Ppm Per Deg Celsius: -200.0 to 200.0 single section **Tolerance Range Per Section:** -5.00 to 5.00 percent single section **Insulation Resistance At Reference Temp:** 100000.0 megohms **Terminal Surface Treatment:** Solder **Test Data Document:** 37695-s413568 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 2 uninsulated wire lead Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5910-00-455-3668

Mica Dielectric Fixed Capacitor - Page 2 of 2



Fiig:

A010b0