## NSN 5910-00-456-3385

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-456-3385 **Body Style:** W/o mtg facilities, terminal (s) on one surface Reliability Indicator: Not established **Body Length:** 1.310 inches **Body Width:** 0.783 inches **Body Height:** 2.500 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Anode Type:** Etched foil **Impedance At Minimum Operating Tempurature In Ohms:** 0.81 **Electrical Polarization:** Polarized **Features Provided:** Hermetically sealed case **Capacitance Value Per Section:** 8700.000 microfarads single section **Nonderated Operating Temp:** Between -23.0 degrees celsius and 71.0 degrees celsius Dc Leakage At Maximum Operating Temp: 650.0 milliamperes Nonderated Continuous Voltage Rating And Type Per Section: 15.0 dc single section **Tolerance Range Per Section:** -15.00/+75.00 percent single section Case Material:

Metal

#### **Capacitive Electrode Material:**

**Tantalum** 

### **Equivalent Series Resistance At Reference Tempurature In Ohms:**

#### Dc Leakage At Reference Temp:

130.000 microamperes

#### **Terminal Surface Treatment:**

Solder

#### **Terminal Type And Quantity:**

2 tab, solder lug

# NSN 5910-00-456-3385

Electrolytic Fixed Capacitor - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0