NSN 5910-00-463-3049

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-463-3049

Body Style:

W/o mtg facilities, terminal (s) on one end

Reliability Indicator:

Not established

Unable To Decode:

Unable to decode and unable to decode

Terminal Length:

0.032 inches

Unable To Decode:

Unable to decode and unable to decode

Unable To Decode:

Unable to decode and unable to decode

Body Diameter:

Between 1.428 inches and 1.448 inches

Body Length:

Between 3.355 inches and 3.395 inches

Center To Center Distance Between Terminals Parallel To Diameter:

0.500 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Anode Type:

Etched foil

Electrical Polarization:

Polarized

Capacitance Value Per Section:

189.000 microfarads single section

Nonderated Operating Temp:

Between -40.0 degrees celsius and 65.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

110.0 ac-rms single section

Tolerance Range Per Section:

-0.00 to 38.00 microfarads single section

Case Material:

Plastic

Capacitive Electrode Material:

Aluminum

Power Factor At Reference Tempurature In Percent:

10.000

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

2 quick disconnect, male, double blade

NSN 5910-00-463-3049

Electrolytic Fixed Capacitor - Page 2 of 2



_				
c	hο	JIF.		ife:
J			_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0