NSN 5910-00-468-6137



Mica Dielectric Fixed Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-00-468-6137 **Body Style:** W/o mtg facilities, terminal (s) on one surface Reliability Indicator: Not established **Terminal Length:** 0.130 inches **Body Length:** 3.280 inches **Body Width:** 1.580 inches **Body Height:** 2.980 inches

Center To Center Distance Between Terminals Parallel To Width:

1.200 inches

Terminal Diameter:

0.094 inches

Schematic Diagram Designator:

One terminal common to each section, one terminal grounded to case

Section Quantity:

Insulation Resistance At Maximum Operating Temp:

25.0 megohms

Capacitance Value Per Section:

0.500 microfarads 1st section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

15000.0 dc 1st section

Tempurature Coefficient Of Capacitance Range Per Section In Ppm Per Deg Celsius:

-50.0 to 100.0 all sections

Tolerance Range Per Section:

-10.00 to 10.00 percent all sections

Case Material:

Plastic

Insulation Resistance At Reference Temp:

5000.0 megohms

Dissipation Factor At Reference Tempurature In Percent:

0.500

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

4 threaded stud

NSN 5910-00-468-6137

Mica Dielectric Fixed Capacitor - Page 2 of 2



N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0