NSN 5910-00-472-5023

Air Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-472-5023

Body Style:
Plate-meshing
Overall Length:
0.516 inches
Terminal Length:
0.344 inches
Overall Height:
0.453 inches
Overall Width:
0.433 inches
Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius:
45.0 single section
Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:
-15.0/+15.0 single section
Unthreaded Mounting Hole Diameter:
0.073 inches
Quality Factor At 25 Deg Celsius:
2000.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.295 inches
End Application:
Strategic weapon system (poseidon and trident)
Inclosure Type:
Uninclosed
Terminal Location:
Opposite sides on end opposite adjustment control perpendicular
Plate Quantity:
8
Tuning Characteristic:
Straight line capacity single section
Adjustment Device Torque:
Between 2.500 inch-ounces and 10.000 inch-ounces
Insulation Dc Resistance At 25 Deg Celsius:
100000.0 megohms
Plate Air Gap:
0.010 inches
Mounting Facility Type And Quantity:

2 unthreaded hole

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Capacitance Range In Picofarads:

+1.8/+8.8 single section

NSN 5910-00-472-5023

Air Dielectric Variable Capacitor - Page 2 of 2



Nonderated Voltage Rating And Type: 350.0 dc continuous single section Adjustment Device Drive Type And Quantity: 1 slotted screw Material: Ceramic base Terminal Type And Quantity: 2 tab, solder lug Shelf Life: N/a Unit Of Measure: -- Demilitarization: No

Fiig: A096a0