Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-474-5029

#### **Body Style:**

W/o mtg facilities, axial terminals

# **Reliability Indicator:**

Not established

# Terminal Length:

1.500 inches

#### **Body Diameter:**

0.188 inches

#### **Body Length:**

0.688 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Anode Type:

Etched foil

## Impedance At Minimum Operating Tempurature In Ohms:

339.0

# **Electrical Polarization:**

Polarized

## Capacitance Value Per Section:

10.000 microfarads single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Dc Leakage At Maximum Operating Temp:

16.0 milliamperes

## Nonderated Continuous Voltage Rating And Type Per Section:

25.0 dc single section

## **Tolerance Range Per Section:**

-15.00/+75.00 percent single section

#### **Case Material:**

Metal

## **Capacitive Electrode Material:**

Tantalum

## Power Factor At Reference Tempurature In Percent:

20.0000

## Dc Leakage At Reference Temp:

5.000 microamperes

# Terminal Type And Quantity:

2 uninsulated wire lead

# **Reference Number Differentiating Characteristics:**

As differentiated by quality controlled for polaris

Shelf Life:

N/a

# NSN 5910-00-474-5029

Electrolytic Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0