NSN 5910-00-477-1481

Mica Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-477-1481

Body Style:
W/mtg tabs/flanges terminal (s) on one surface
Reliability Indicator:
Not established
Terminal Length:
0.150 inches
Body Length:
2.400 inches
Body Width:
0.750 inches
Body Height:
2.100 inches
Center To Center Distance Between Terminals Parallel To Length:
1.940 inches
Terminal Diameter:
0.094 inches
Unthreaded Mounting Hole Diameter:
Between 0.124 inches and 0.129 inches
Schematic Diagram Designator:
Quad, one common terminal for each pair
Mounting Facility Type And Quantity:
1 unthreaded mounting holes
Section Quantity:
6
Insulation Resistance At Maximum Operating Temp:
25.0 megohms
Capacitance Value Per Section:
0.250 microfarads 6th section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
1500.0 dc 3rd section
Tempurature Coefficient Of Capacitance Range Per Section In Ppm Per Deg Celsius:
-50.0 to 100.0 all sections
Tolerance Range Per Section:
-10.00 to 10.00 percent all sections
Case Material:
Plastic
Insulation Resistance At Reference Temp:
5000.0 megohms

0.500

Dissipation Factor At Reference Tempurature In Percent:

NSN 5910-00-477-1481

Mica Dielectric Fixed Capacitor - Page 2 of 2



Terminal Surface Treatment:
Solder
Terminal Type And Quantity:
9 solder stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A010b0