## NSN 5910-00-482-0230

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-482-0230 **Body Style:** W/o mtg facilities, axial terminals **Reliability Indicator:** Not established **Terminal Length:** 2.000 inches **Body Diameter:** 0.200 inches **Body Length:** 0.680 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Insulation Resistance At Maximum Operating Temp:** 50000.0 megohm-microfarads **Capacitance Value Per Section:** 12000.000 picofarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius: -100.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 100.0 dc single section Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius: -50.0/+50.0 single section **Tolerance Range Per Section:** -1.00/+1.00 percent single section **Case Material:** Plastic **Insulation Resistance At Reference Temp:** 100000.0 megohm-microfarads **Power Factor At Reference Tempurature In Percent:** 0.1000 **Terminal Surface Treatment:** Solder **Terminal Type And Quantity:** 2 uninsulated wire lead Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 5910-00-482-0230

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Fiig:

A010b0