Mica Dielectric Fixed Capacitor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5910-00-486-6073

## **Body Style:**

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

**Terminal Length:** 

1.250 inches

**Body Length:** 

0.250 inches

**Body Width:** 

0.180 inches

**Body Height:** 

0.120 inches

## Center To Center Distance Between Terminals Parallel To Length:

Between 0.089 inches and 0.151 inches

## Schematic Diagram Designator:

No common or grounded electrode (s)

#### **Capacitance Value Per Section:**

2.000 picofarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

300.0 dc single section

## Tempurature Coefficient Of Capacitance Range Per Section In Ppm Per Deg Celsius:

-200.0 to 200.0 single section

## **Tolerance Range Per Section:**

-0.50 to 0.50 picofarads single section

#### **Case Material:**

Plastic

Insulation Resistance At Reference Temp:

100000.0 megohms

## **Terminal Surface Treatment:**

Solder

# **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

# Demilitarization:

No

Fiig:

A010b0