NSN 5910-00-488-3204

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-488-3204

Body	Styl	e:

W/mtg tabs/flanges terminals on opposite surfaces

Reliability Indicator:

Not established

Terminal Length:

0.312 inches

Body Length:

3.562 inches

Body Width:

1.688 inches

Body Height:

1.688 inches

Center To Center Distance Between Terminals Parallel To Length:

4.062 inches

Unthreaded Mounting Hole Diameter:

0.196 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

4.062 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.187 inches

Mounting Facility Type And Quantity:

4 unthreaded mounting holes

Insulation Resistance At Maximum Operating Temp:

20000.0 megohms

Capacitance Value Per Section:

0.100 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

7500.0 dc single section

Tolerance Range Per Section:

-10.00/+10.00 percent single section

Case Material:

Plastic

Insulation Resistance At Reference Temp:

50000.0 megohms

Dissipation Factor At Reference Tempurature In Percent:

1.0000

Terminal Surface Treatment:

Solder

NSN 5910-00-488-3204

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Dielectric Material:		
Plastic		
Terminal Type And Quantity		
2 solder stud		
Shelf Life:		
N/a		
Unit Of Measure:		
Demilitarization:		
No		

Fiig: A010b0