## NSN 5910-00-493-0640



Ceramic Dielectric Fixed Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-00-493-0640 **Body Style:** W/o mtg facilities, terminals on opposite surfaces Reliability Indicator: Not established **Terminal Length:** 0.750 inches **Body Length:** 0.600 inches **Body Width:** 0.172 inches **Body Height:** 0.500 inches **Continuous Current Rating In Amps:** 8.0 **Schematic Diagram Designator:** No common or grounded electrode (s) **Capacitance Value Per Section:** 120.000 picofarads single section Voltage Tempurature Limits Per Section In Percent Capacitance Change: -1.5/+1.5 without voltage applied single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 2500.0 dc single section **Tolerance Range Per Section:** -5.00/+5.00 percent single section **Case Material:** Glass Insulation Resistance At Reference Temp: 10000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 0.1000 **Terminal Surface Treatment:** Silver **Special Features:** Leads per collins dwg 779-2609-013 **Terminal Type And Quantity:** 2 ribbon Shelf Life: N/a

**Unit Of Measure:** 

## NSN 5910-00-493-0640

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



_						
ם ו	mil	11+2	riz	21 to	$\alpha$ r	٠.
DС		IILa	114	аи	v	ı.

No

Fiig:

A010b0