NSN 5910-00-493-3847

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-493-3847

Body Style:

W/mtg tabs/flanges, terminal (s) on one surface

Reliability Indicator:

Not established

Body Length:

6.000 inches

Body Width:

3.000 inches

Body Height:

6.000 inches

Center To Center Distance Between Terminals Parallel To Length:

Between 3.440 inches and 3.560 inches

Terminal Height From Body:

Between 3.090 inches and 3.160 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 6.580 inches and 6.600 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 2.240 inches and 2.260 inches

Mounting Facility Screw Thread Series Designator:

Unf

Mounting Facility Type And Quantity:

4 threaded mounting holes

Features Provided:

Hermetically sealed case

Capacitance Value Per Section:

0.150 microfarads single section

Nonderated Operating Temp:

Between -34.0 degrees celsius and 71.0 degrees celsius

Thread Size:

0.190 inches

Nonderated Continuous Voltage Rating And Type Per Section:

2400.0 dc single section

Tolerance Range Per Section:

-10.00/+10.00 percent single section

Case Material:

Metal

Insulation Resistance At Reference Temp:

1000.0 megohms

Power Factor At Reference Tempurature In Percent:

1.0000

NSN 5910-00-493-3847

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Dielectric Material:
Paper and plastic
Terminal Type And Quantity:
1 standoff, threaded stud and 1 threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A010b0